



LEICA APO-TELEVID 65

Technical Data



Spotting scope	LEICA APO-TELEVID 65
Order no. Product	
Straight viewing	40 127
Angled viewing (45°)	40 129
Delivery scope	25 – 50 x WW eyepiece, front and rear caps
Front lens diameter	65 mm
Focal length of the lens	approx . 440 mm
Close focusing distance	approx . 2.9 m/9.5 ft
Exit pupil, twilight factor and field of view	See eyepiece chart
Focusing	Internal focusing with patented dual focusing device
No. of lens elements (excluding the eyepiece)	4, all multi-coated and AquaDura™
Prism system	
Straight viewing	Schmidt Pechan prism system
Angled viewing (45°)	Schmidt prism system
Watertightness	Watertight to a depth of 5 m/ 16.5 ft
Housing	Die-cast magnesium, nitrogen-filled
Eyepiece connection	Rapid-change bayonet
Tripod base	¼", rotating with locking screw
Lens hood	Sliding lens hood with sighting aid
Filter thread mount	E67
Dimensions (W x H x D)	288 x 108 x 83 mm/11.32 x 4.25 x 3,27 in straight; 302 x 108 x 83 mm/11.89 x 4.25 x 3.27 in angled
Weight (including eyepiece)	1,123 g/39.61 oz angled; 1,115 g/39.33 oz straight
Order No. Accessories	
Zoom eyepiece 25 – 50 x WW ASPH.	41 019
Digital adapter 3	42 304
D-LUX 4 Digiscoping adapter	42 309
TRICA 1 Carbon observing tripod + DH 1 Digiscoping head	42 223
TRIMA 1 Magnesium observing tripod + DH 1 Digiscoping head	42 224
Balance Plate, Length 140 mm	42 225
Cordura ever-ready-case	
for straight viewing scope	42 312
for angled viewing scope	42 311